

RED TIJ

Introducing the new Intermac own RED TIJ (Thermal Ink Jet) marking system. There are many kinds of TIJ Systems, but RED TIJ is more functional, cost-effective, and even fashionable. Simple and light weight design allows easy-installation anywhere. RED TIJ System provides a Window based graphic user interface to help users operate the system without trouble. Software menu is available in a variety of languages with 7" touch screen.



NEW

1" Printing with 1" Single Cartridge



● PRODUCT SIZE

Printhead Size 129x107x30mm (1/2") * Insertion of a 1" cartridge increases the height slightly.

Controller Size 203x113x42mm

Printhead Weight 386g, 482g (including a 1/2" cartridge), 508g (including a 1" cartridge)

Controller Weight 924g

● PRODUCT SPEC

Power AC100V-240V/50-60HZ, 90W (Dedicated AC adaptor)

Display 7" (800X480mm) Color LCD Touch Screen

Interface Photo Sensor, Warning Light, BCD, RS232, Encoder, USB

Backup / Recovery USB

Ink Management Auto Configuration of Ink residual and Ink Type

Operating Temperature / Humidity 5 ~ 35°C / 10 ~ 85%RH

Certificate KC, CE, FCC

● PRINT SPEC

Printhead Type TIJ.1 (1/2" Single head) , TIJ.1 PLUS (1" Single head) , TIJ.2 (1/2" Dual heads) , TIJ.2 PLUS (1" Dual heads)

Print Height 1/2" (with 1/2" Single Cartridge) / 1" (with 1" Single Cartridge)

DPI 300DPI, 600DPI

Print Speed Max. 60M/MIN (Normal Mode) , MAX. 110M.MIN (Speed Mode)

Print Message Text, Barcode, Image, Auto Date/Time, Counter, Shift Code, Batch Code, Random Code

Barcode QRCode, Datamatrix, code128, code39, code93, code20f5, EAN13, UPCA, UPCE, ITF14, GS1 (code128c, code128at, QRCode, Datamatrix)

Language English, Chinese, Korean, Japanese, Vietnamese, Italian, Turkish, Spanish, Arabic, Persian, Greek, Portuguese, Lithuanian, German, French, Russian, Dutch, Indonesian, Hindi, Malaysia, Bangla, Thai, Rumanian


Font Type Gulim, Arial (default) / Importing an external font

Date Type Production Date, Expiration Date, Julian Date

Ink Cartridge HP 1/2" original Cartridge(hp TIJ 2.5) , 1" Cartridge

Ink Type / Color (1/2") Solvent, Water, Pigment, UV Invisible, UV Curable / Black, Red, Blue, White, Yellow
(1") Solvent, Water / Black

● DIMENSION



“

OPTIONAL BRACKETS TO MAXIMIZE INSTALLATION FLEXIBILITY

”




DUAL HEADS BRACKET

Combine the two units of heads into one.



TENSION BRACKET

Protects against product collisions.



XY ADJUST BRACKET

Easy to adjust the throw distance.



HEAD COVER BRACKET

Prevent foreign substances from entering the head.



WAVE UTILITY BRACKET

Moves flexibly on bumpy surfaces such as PP bags.